

EUROPT(R)ODE VII – MONDAY APRIL 5th POSTER SESSION

- P-1 **A REAGENT-LESS FLUORESCENT SOL-GEL BIOSENSOR FOR SUPEROXIDE ANION DETECTION**
I. Pastor, R. Esquembre, E. Rico, V. Micol, R. Mallavia and C. Reyes Mateo Universidad Miguel Hernández, Spain
- P-3 **FLUORESCENT BIOSENSOR FOR NITRIC OXIDE BY INSERTION OF 2,3-DIAMINONAPHTHALENE IN LIPOSOMES IMMOBILIZED IN SOL-GEL GLASSES**
R. Esquembre,^a I. Pastor,^a C. Tormo,^b R. Mallavia^a and C. Reyes Mateo^a
^aUniversidad Miguel Hernández, Spain; ^bHospital General Universitario de Elche, Spain
- P-5 **MICROARRAY COMPACT-DISC BASED METHODS APPLIED TO GENOMICS. SUPPORTS TREATMENT COMPARISON**
S. B. Morais, J. V. Mor, R. Marco-Molés, R. Puchades and A. Maquieira.
Universidad Politécnica de Valencia, Spain
- P-7 **ASSAY OF LUMINESCENCE- BASED TRACERS FOR PESTICIDE IMMUNOSENSING**
J. Penalva,^a M.A. González-Martínez,^a A. Maquieira,^a R. Sedano,^b M. Carramolino,^b E. Brunet,^b J.C. Rodríguez-Ubis^b and R. Puchades^a
^aUniversidad Politécnica de Valencia, Spain; ^bUniversidad Autónoma de Madrid, Spain
- P-9 **NOVEL FLUORESCENT RATIO-METRIC pH SENSORS WITH A MINIMIZED EFFECT OF IONIC STRENGTH**
B. Weidgans,^a C. Krause,^b I. Klimant,^c and O. S. Wolfbeis^a
^aUniversity of Regensburg, Germany; ^bPreSens GmbH, Germany; ^cUniversity of Technology, Graz, Austria
- P-11 **A NEW SUPRAMOLECULAR CHIRALITY SENSOR ON THE BASIS OF ACHIRAL ETHANE-BRIDGED BIS-PORPHYRIN**
V. V. Borovkov, G. A. Hembury, and Y. Inoue
Japan Science and Technology Agency (JST), Japan
- P-13 **AN INVESTIGATION OF ISOMERIC EFFECTS USING PLASTICIZED PVC FILMS FOR XYLENE EXTRACTION AND ENRICHMENT WITH ATR-FTIR SPECTROSCOPY**
F. Walsh and F. Regan
Dublin City University, Ireland
- P-15 **MULTI-COMPONENT DETERMINATION USING PLASTICISED PVC FILMS FOR ANALYTE EXTRACTION AND ENRICHMENT WITH ATR-FTIR SPECTROSCOPY**
F. Walsh and F. Regan
Dublin City University, Ireland
- P-17 **SPIN-COATED UV-VISIBLE OPTICAL SENSING DEVICES BASED ON DYE-IMPREGNATED FILMS FOR RAPID DETERMINATION OF PREDOMINANT METAL IONS IN WASTEWATER STREAMS**
D. Leamy^b and F. Regan^a
^aDublin City University, Ireland; ^bLimerick Institute of Technology, Ireland
- P-19 **ELABORATION OF AN EVANESCENT WAVE OPTICAL FIBRE SENSOR FOR METHANE DETECTION**
M. Benounis,^a N. Jaffrezic-Renault,^a J. P. Dutasta,^b T. Brotin,^b K. Cherif,^c A. Abdelghani^c
^aLaboratory Engineering and Functionalization of Surfaces, UMR CNRS 5621, France; ^bEcole Normale Supérieure de Lyon, France; ^cLaboratoire de Physique des Semiconducteurs, Tunisie
- P-21 **DETECTION OF HEAVY METALS BY AN OPTICAL FIBRE SENSOR WITH A SENSITIVE CLADDING INCLUDING A NEW CHROMOGENIC CALIX[4]ARENE MOLECULE**
M. Benounis,^a N. Jaffrezic-Renault,^a R. Lamartine^b
^aLab. Engineering and Functionalization of Surfaces, UMR CNRS 5621, France; ^bLACE – Université Claude Bernard, France
- P-23 **EMPLOYMENT OF ORMOCER®S FOR THE FABRICATION OF LAYERS SENSITIVE TO OXYGEN AND GLUCOSE**
K. Rose,^a S. Dzydevych,^b N. Jaffrezic-Renault,^b O. Podrazký,^c G. Kuncová,^c J. Mrázek,^d V. Matejec,^d J. Young^e
^aFraunhofer Institut für Silicatforschung, Germany; ^bLaboratoire IFoS, UMR CNRS No.5621, France; ^{c,d}Academy of Sciences of the Czech Republic, Czech Republic; ^eUniversity of Manchester, U.K.

- P-25 **SENSITIVITY OF XEROGEL LAYERS APPLIED ON SILICA OPTICAL FIBERS TO TOLUENE DISSOLVED IN WATER**
J. Skokankova,^a J. Mrazek,^a V. Matejec,^a D. Berkova,^a M. Chomat,^a I. Kasik,^a P. Simunkova,^a A. Szatvanyi,^b M. Zaharescu,^b M. Raileanu^b
^aAcademy of Sciences of the Czech Republic, Czech Republic; ^bInstitute of Physical Chemistry of the Romanian Academy, Romania
- P-27 **SILICA-BASED OPTICAL FIBERS WITH TAILORED REFRACTIVE-INDEX PROFILES IN THE REGION OF 1.46-1.52 FOR EVANESCENT-WAVE CHEMICAL DETECTION**
I. Kasik, V. Matejec, M. Chomat, M. Hayer, D. Berkova, J. Mrazek, and J. Skokankova
 Academy of Sciences of the Czech Republic, Czech Republic
- P-29 **PO₂/pH AND PO₂/PCO₂ HYBRID OPTODES FOR 2D-SENSING IN MARINE SYSTEMS**
C. Schröder,^a L. Polerecký,^b U. Franke^b and I. Klimant^c
^aUniversity of Regensburg, Germany; ^bMax-Planck-Institute for Marine Microbiology, Germany; ^cTechnical University of Graz, Austria
- P-31 **A NITROAROMATICS CHEMICAL SENSOR BASED ON FLUORESCENT TWEEZERS THIN FILMS**
P. Montméat,^a E. Pasquinet,^a M. Jorgensen,^b F. Krebs^b and L. Hairault^a
^aCEA Le Ripault, France; ^bRiso National Laboratory, Denmark
- P-33 **A δ FORM SPS BASED FIBER OPTIC REFRACTOMETER FOR CHEMICAL DETECTION OF VOCS**
M. Giordano,^a M. Russo,^a A. Cusano,^b G. Mensitieri^c and G. Guerra^d
^aInstitute for Composite and Biomedical Materials, Italy; ^bUniversity of Sannio, Italy; University of Naples, *Italy*; ^dUniversity of Salerno, Italy
- P-35 **CONFINEMENT EFFECTS ON POLYSTYRENE THIN FILMS GLASS TRANSITION**
M. Giordano,^a M. Russo^a, M. Esposito,^a A. Cusano^b
^aInstitute for Composite and Biomedical Materials, Napoli, Italy; ^bUniversity of Sannio, Italy
- P-37 **DESIGN OF A COPPER(II) OPTODE BASED ON IMMOBILIZATION OF DITHIZONE ON A TRIACETYLCELLULOSE**
P-A. Safavi, M. Bagheri
 Shiraz University, Iran
- P-39 **ELECTROCHEMILUMINESCENT DETECTION OF ACETYLCHOLINE USING ACETYLCHOLINESTERASE IMMOBILIZED IN A BIOMIMETIC LANGMUIR-BLODGETT NANOSTRUCTURE**
S. Godoy,^a B. Leca-Bouvier,^a P. Boullanger,^b L. J. Blum^a and A. P. Girard-Egrot^a
^aLaboratoire de Génie Enzymatique et Biomoléculaire and, ^bLaboratoire de Chimie Organique 2, Université Claude Bernard Lyon1, France
- P-41 **DIRECT IMMOBILIZATION IN PDMS FOR DNA CHEMILUMINESCENT BIOCHIP. DETECTION OF SINGLE BASE MUTATION IN P53 SEQUENCE**
C. A. Marquette, A. Degiuli and L. J. Blum
 Université Claude Bernard Lyon1, France
- P-43 **BIOCHROMIC FILMS BASED ON THE BACTERIORHODOPSIN FOR CHEMICAL SENSORS**
J.P. Sharkany,^{a,b} S.O. Korposh,^{a,b} J.J. Ramsden,^{a,c} I.I. Trikur^b
^aCranfield University at Kitakyushu, Japan; ^bUzhgorod National University, Ukraine; ^cCranfield University, England
- P-45 **CHITOSAN THIN FILMS AS AN OPTICAL BIOSENSOR PLATFORM**
 C. L. Schauer
 Drexel University, USA
- P-47 **PHOSPHORESCENT OLIGONUCLEOTIDE PROBES FOR DNA DETECTION**
P. O'Sullivan,^a M. Burke,^a D. O'Shea,^a A.E. Soini,^b D. B. Papkovsky^a
^{a,b}University College Cork, Ireland; ^cNational Microelectronics Research Centre, Ireland
- P-49 **A FIBER-OPTIC HYDROGEN GAS SENSOR BASED ON THIN FILMS FABRY-PEROT INTERFEROMETER**
E. Maciak, Z. Opilski, and M. Urbańczyk
 Silesian University of Technology, Poland

- P-51 **DESIGN AND APPLICATION OF BIOLOGICAL ADDRESSABLE MICRO- AND NANOSENSORS**
J. Gerlach, P. Chojnacki and I. Klimant
 Graz University of Technology, Austria
- P-53 **MATHEMATICAL MODEL FOR SENSOR FILMS BASED ON CHEMICALLY MODIFIED ENZYMES**
 A. Delgado, V. Sanz, J. Galbán, S. de Marcos, and J.R. Castillo
 Universidad de Zaragoza, Spain
- P-55 **OPTICAL SENSORS BASED ON THE REDOX PROPERTIES OF POLYANILINE**
S. de Marcos, Y. Andreu, J. Galbán and J.R. Castillo
^aUniversidad de Zaragoza, Spain
- P-57 **DETERMINATION OF PHOTOSYNTHETIC HERBICIDES BASED ON AN OPTICAL FIBRE SENSOR**
Y. Andreu,^a F. Baldini,^b C. Domenici,^c A. Giannetti,^c D. Masci^d and A. Mencaglia^b
^aUniversidad de Zaragoza, Spain; ^bNello Carrara Istituto di Fisica Applicata, Firenze, Italy; ^cUniversità di Pisa & Istituto di Fisiologia Clinica-CNR, Italy; ^dDivisione di Agricoltura e Biotecnologia, ENEA-Casaccia, Italy
- P-59 **AN IMPINGING JET-TYPE GAS-FLOW CELL FOR A GAS-SENSOR SYSTEM USING THE CATALUMINESCENCE**
 K. Utsunomiya,^a Y. Takeuchi,^b T. Okabayashi,^a I. Yamamoto,^a N. Yamashita^c and M. Nakagawa^b
^aFaculty of Engineering, ^bDepartment of Applied Physics, ^cFaculty of Education, Okayama University, Japan
- P-61 **TAILORING SOL-GEL MATERIALS STRUCTURE FOR pH AND OXYGEN SENSING**
I. Sánchez,^a J. M. Costa,^a R. Pereiro,^a A. Segura,^b A. Fernández^b and A. Sanz-Medel^a
^aUniversity of Oviedo and, ^bUniversity of Granada, Spain
- P-63 **MOLECULAR IMPRINTING POLYMERS FOR LUMINESCENT OPTOSENSING OF BENZO[A]PYRENE**
A. Salinas,^b I. Sánchez,^a José M. Costa,^a Rosario Pereiro,^a Antonio Segura,^b Alberto Fernández^b and Alfredo Sanz-Medel^a
^aUniversity of Oviedo and, ^bUniversity of Granada, Spain
- P-65 **SYNTHESIS AND EVALUATION OF MOLECULARLY IMPRINTED POLYMERS FOR TETRACYCLINES OPTOSENSING**
J. M. Traviesa Álvarez, J. M. Costa, R. Pereiro and A. Sanz-Medel
 University of Oviedo, Spain
- P-67 **ROOM TEMPERATURE PHOSPHORESCENCE OPTOSENSOR FOR AFLATOXIN DETECTION**
T. R. Rojas Durán,^a C. Fente,^a A. Cepeda,^a W. Jun Jin,^b Jose M. Costa,^b Alfredo Sanz-Medel^b
^aUniversity of Santiago de Compostela, and ^bUniversity of Oviedo, Spain
- P-69 **SURFACE-MODIFIED CdSe NANOCRYSTALS AS LUMINESCENT PROBES FOR ANION SENSING**
 W. Jun Jin, J. M. Costa Fernández, R. Pereiro and A. Sanz-Medel
 University of Oviedo, Spain
- P-71 **FLUORESCENCE IMAGING OF PHASE MORPHOLOGY EVOLUTION IN EPOXY/POLYSILOXANE THERMOSETS**
M. G. González, J. C. Cabanelas, B. Serrano and J. Baselga
 Universidad Carlos III de Madrid, Spain
- P-73 **NEAR-INFRARED DYES USED AS SOLVATOCHROMIC POLARITY PROBES**
 F. Merayo-Martínez, A. Fernández-González, R. Badía, M.E. Díaz-García
 University of Oviedo, Spain
- P-75 **LABEL FREE SPECTRAL CORRELATION BIOSENSORS**
P.I. Nikitin, B.G. Gorshkov, M.V. Valeiko, I.L. Nikitina and T.I. Ksenevich
 Academy of Sciences of Russia, Russia

- P-77 **TWO NOVEL INTEGRATED OPTICAL SENSOR TYPES BASE ON CHEMICAL INDUCED CHANGES OF MODAL FIELD**
J. van Lith, P.V. Lambeck, H.J.W.M. Hoekstra, R.R. Wijn
 University of Twente, The Netherlands
- P-79 **DETECTION OF MOLECULAR RECOGNITION BY FLUORESCENCE ON SELF-ASSEMBLED MONOLAYERS ON GLASS**
R. S. Zimmerman, L. Basabe-Desmonts, J. Beld, D.N. Reinhoudt, M. Crego-Calama
 University of Twente, The Netherlands
- P-81 **CONFINED FLUORESCENT SENSITIVE SURFACES ON GLASS, MADE BY MICROCONTACT PRINTING AND INTEGRATED INTO MICROCHANNEL WALLS**
L. Basabe Desmonts, D. N. Reinhoudt and M. Crego Calama
 University of Twente, The Netherlands
- P-83 **EFFECTS OF SOL-GEL MODIFICATION OF MICROSTRUCTURE FIBERS ON THEIR SENSITIVITY TO GASEOUS TOLUENE**
V. Matejec, J. Mrazek, M. Hayer, I. Kasik, P. Honzatko, P. Peterka, and J. Kanka
 Academy of Sciences of the Czech Republic, Czech Republic
- P-85 **THE SENSOR ARRAY CHIP OF HB BASED ON CHEMILUMINESCENCE IMAGE**
 Liu Yang,^a Zhujun Zhang,^{* b} Wenjuan Gong^b and Lanrong Shen^b
^aDepartment of Chemistry and ^bHospital, Shanxi Normal University, P.R.China
- P-87 **THE PERFORMANCE OF A MICROCHIP-BASED FIBER OPTIC DETECTION FOR THE DETERMINATION OF VARIOUS IONS**
 N. Malcik,^a P. Caglar,^a J. Ferrance,^b J.P. Landers^b
^aHacettepe University, Ankara, Turkey; ^bUniversity of Virginia, USA
- P-89 **VARIATION OF THE LIGHT TRANSMITTANCE OF POROUS GLASSES AFTER SOLVENT EXPOSURE IN DISPOSABLE CHARCOAL CARTRIDGES**
 Serge Caron
 INO, Québec, Canada
- P-91 **FLUORESCENCE-BASED CONTINUOUS-FLOW SENSING SYSTEM FOR β -ESTRADIOL MEASUREMENT USING A MOLECULARLY IMPRINTED POLYMER**
J.C. Bravo, P. Fernández* and J. S. Durand
 Universidad Nacional de Educación a Distancia, Spain
- P-93 **STRUCTURAL STUDIES OF MIP SYNTHESIS FOR BIOSENSORS BY SCANNING ELECTRON MICROSCOPE (SEM)**
G. Paniagua González, P. Fernández Hernando, J. S. Durand Alegría
 Universidad Nacional de Educación a Distancia, Spain
- P-95 **CONTINUOUS FLOW FLUORESCENT DETECTION OF BENZODIAZEPINES USING SELECTIVE SYNTHETIC RECEPTORS**
A. M. Gil Tejedor, P. Fernández Hernando, J. S. Durand Alegría
 Universidad Nacional de Educación a Distancia, Spain
- P-97 **CANTILEVER BASED PROBES FOR SCANNING NEAR-FIELD OPTICAL MICROSCOPY MANUFACTURED IN SEMICONDUCTOR TECHNOLOGY**
C. Bolwien,^a Jörn Kamps,^b and A. Brandenburg^a
^aFraunhofer Institut Physikalische Messtechnik, Germany; ^bJPK Instruments, Germany
- P-99 **AN OPTICAL SENSOR FOR ANTIOXIDATIVE CAPACITY BASED ON IMMOBILISED CHROMOGENIC RADICALS**
I. Murković Steinberg and S. Milardović
 University of Zagreb, Croatia
- P-101 **EXAMINATION OF LIGHT DISTRIBUTION FROM SOL-GEL BASED OPTODES OF FIBEROPTIC SENSORS**
 H. Podbielska,^{a,b} A. Ulatowska-Jarża,^{a,c} D. Andrzejewski,^d U. Bindig,^c G. Müller^c
^aWrocław University of Technology, Poland; ^bTechnical University Berlin, Germany; ^cLaser-und Medizin-Technologie Berlin, Germany; ^dPreSens - Precision Sensing GmbH, Germany

- P-103 **SURFACE PLASMON RESONANCE (SPR) BIOSENSOR DETECTION FOR FOOD SAFETY**
A. D. Taylor,^a Q. Yu,^a S. Chen,^a F. Yang,^b R. B. Darling,^b J. Homola,^{a,c} S. Jiang^{a*}
^aDepartment of Chemical Engineering and, ^bDepartment of Electrical Engineering, University of Washington, USA; ^cAcademy of Science of the Czech Republic, Czech Republic
- P-105 **TIME-RESOLVED FLUORESCENT IMAGING OF OLIGONUCLEOTIDE AND PROTEIN MICROARRAYS**
S. Nagl, M. Schäferling and O. S. Wolfbeis
University of Regensburg, Germany
- P-107 **ANALYSIS OF DDT USING A HOME-MADE SURFACE PLASMON RESONANCE BIOSENSOR**
E. Mauriz,^a A. Calle,^a A. Montoya,^b J. J. Manclús,^b and L.M. Lechuga^a
^aCentro Nacional de Microelectrónica, Madrid, Spain; ^bUniversidad Politécnica de Valencia, Spain
- P-109 **PORTABLE PROTOTYPES OF SURFACE PLASMON RESONANCE BIOSENSORS. APPLICATIONS IN THE ENVIRONMENTAL CONTROL**
A. Medina,^a J.R. Sendra,^a E. Mauriz,^b A. Calle,^b and L.M. Lechuga^b
^aUniversidad de Las Palmas de Gran Canaria, Spain; ^bMicroelectronics National Center, Madrid, Spain
- P-111 **FLUORESCENCE RESPONSE FROM POLYSTYRENE LABELLED WITH ANTHRACENE TO STUDY ITS THERMAL TRANSITIONS**
S.G. Turrión, D. Olmos, N. Ekizoglou, J. Baselga, J. González-Benito*
Universidad Carlos III de Madrid, Spain
- P-113 **ON-CHIP UV-VIS DETECTION USING LIQUID-CORE WAVEGUIDING WITHIN A 3-D ARCHITECTURE**
M. P. Duggan and J. W. Aylott
University of Hull, U.K
- P-115 **THIN FILM SOL-GEL MATRIX FOR IMMOBILIZATION OF ACETYLCHOLINESTERASE AND CHROMOIONOPHORE FOR DETERMINATION OF PESTICIDE**
F. C. M. Wong, M. Ahmad, L. Yook Heng and L. Boon Peng
Universiti Kebangsaan Malaysia, Malaysia
- P-117 **EVANESCENT WAVE IMMUNOSENSOR FOR THE DETERMINATION OF THE PESTICIDE TRICLOPYR**
A. Navas Díaz, A. Somé Moreno and F. García Sánchez
University of Málaga, Spain
- P-119 **FABRICATION OF AN OPTODE FOR CAPSAICIN DETERMINATION**
M. Nasir Mat Arip,^a M. Ahmad,^a L. Yook Heng,^a M. Nasir Taib,^b A. Mahir Mokhtar^a
^aUniversiti Kebangsaan Malaysia, Malaysia; ^bUniversiti Teknologi Mara, Malaysia
- P-121 **ACCURATE SALICYLIC ACID (SA) SENSING AT LOW VISIBLE WAVELENGTH USING ARTIFICIAL NEURAL NETWORK (ANN)**
H. Chern Loh,^a M. Ahmad,^b M. Nasir Taib^c
^{a,b}Universiti Kebangsaan Malaysia, Malaysia; ^cUniversiti Teknologi Mara, Malaysia
- P-123 **THE DETERMINATION OF THIN BIO-MOLECULAR FILM STRUCTURE AT HIGH RESOLUTION USING DUAL POLARISATION INTERFEROMETRY**
M. J. Swann, J. Popplewell, L. L. Peel, and N. J. Freeman
Farfield Sensors Ltd., Salford University Business Park, U.K.
- P-125 **EXPERIMENTAL SENSING OF CO₂ AND CH₄ GASES USING THE COSM CORRELATION SPECTROSCOPY METHOD AND COMPARISON WITH SIMULATED PREDICTIONS FROM THE HITRAN DATABASE**
E. A. D. Austin, P. Chambers and J. P. Dakin
University of Southampton, U.K.
- P-127 **SPECTRAL NEPHELOMETRY FOR THE GEOGRAPHIC CLASSIFICATION OF ITALIAN EXTRA VIRGIN OLIVE OILS**
A.G. Mignani,^a L. Ciaccheri,^a A. Cimato,^b G. Sani,^b and P.R. Smith^c
^aCNR-Institute of Applied Physics Nello Carrara, Firenze, Italy; ^bCNR- Trees and Timber Institute, Sesto Fiorentino, Italy; ^cLoughborough University, UK

- P-129 **OPTICAL CHEMICAL HEAVY METAL ION SENSING VIA SOL-GEL DOPED INDICATOR CALCEIN**
M. Turel and A. Lobnik
University of Maribor, Slovenia
- P-131 **FLUORESCENCE LIFETIME-BASED SENSOR DEVICE FOR MEASURING OXYGEN CONCENTRATION IN HOT FLUE GAS**
S. Draxler and M. E. Lippitsch
Karl-Franzens-Universität Graz, Austria
- P-133 **USING OPTICAL SENSORS NIR FOR ON-LINE VIRGIN OLIVE OILS CHARACTERIZATION**
A. Jiménez Marquez,^a A. Molina Díaz^b and M.J. Pascual Reguera^b
^aInstituto Andaluz de Investigación y Formación Agraria, Pesquera, Alimentaria y de Agricultura Ecológica, Jaen, Spain; ^bUniversidad de Jaén, Spain